

THE SEWER COMMISSION  
OF THE TOWN OF KENT  
NOTICE OF PUBLIC HEARING

The Sewer Commission of the Town of Kent will hold a public hearing at the Kent Town Hall, 41 KENT GREEN BOULEVARD, KENT, CT, on Tuesday, January 21, 2020 at 4:30 o'clock p.m. to receive public comment upon, and to thereafter consider and act upon, the following agenda:

1. The proposal to expend not more than \$600,000 for the acquisition, construction, installation and financing of a new belt filter press for sludge dewatering at the Kent Sewage Treatment Plant as more particularly described in a proposed resolution entitled: "RESOLUTION APPROPRIATING UP TO \$600,000 FOR A SEWER BELT FILTER PRESS, AND TO FUND THE EXPENDITURE BY APPROPRIATING \$150,000 FROM THE KENT SEWER COMMISSION'S CAPITAL RESERVE FUND AND AUTHORIZING THE ISSUE OF \$450,000 FINANCING TO BE PAID FROM SEWER REVENUES AND ADDITIONALLY SECURED BY THE TOWN'S GENERAL OBLIGATION PLEDGE PURSUANT TO SECTION 7-263a OF THE GENERAL STATUTES." The public hearing on this item will be conducted pursuant to the General Statutes of the State of Connecticut including sections 7-247a and 7-263a.
  
2. The proposal to adopt Sewer Use Regulations governing the use and operation of the Kent sewer system. The proposed Sewer Use Regulations are derived in part from the existing Sewer Use Ordinance contained in Chapter 15 of the Kent Code of Ordinances and deal generally with a) the use of the public sewers and discharge limitations; b) orders to connect; c) standards for building sewers and connection; d) water meter requirements; e) FOG interceptors and management equipment; f) septage disposal; g) community sewerage systems; and h) use and connection charges and assessment of benefits.

A copy of said proposed resolution pertaining to the Sewer Belt Press and a copy of the proposed Sewer Use Regulations are on file and open to public inspection at the office of the Kent Town Clerk.

Dated this 2<sup>nd</sup> day of Jan., 2020.



Elissa Potts  
Chairman  
Sewer Commission of the Town of Kent