

# KENT VILLAGE DISTRICT ARCHITECTURAL REVIEW BOARD PRE-APPLICATION

(FOR OFFICE USE ONLY)  
App. #: 01-21  
Date of receipt: 1/25/21  
Official date of receipt: 2/2/21

Name of property owner: Vincent A Roberti II, Bronwyn A Hamill  
Owner's mailing address: Po Box 796 Kent CT 06757  
Telephone number: 8605978594 E-mail address: Vrobertijr@gmail.com

Applicant's name: Vincent Roberti  
Applicant's address: 1 Bridge St Kent CT 06757  
Applicant's telephone: E-mail address:

Property address: 1 Bridge St (main House )  
Map: 19 Block: 13 Lot: 1 Zone: VC-C VC-R1 VC-R2 IA IB RURAL

Project Description: Replacement of existing double hung windows with Marvin Elevate series double Hung insert windows. all existing openings to remain the same size no net gain in Glazing or window opening size Storm windows to be removed .

Is this property subject to a conservation or preservation restriction: Yes No [X]  
If so, a written notice must be sent to the party holding such restriction sixty days prior to the submittal of this application. Proof of this notice shall be attached as per CT Public Act 05-124.

Has this case gone to the Zoning Board of Appeals? Yes No  
If yes, please include the approval letter from the ZBA.

Signature of applicant: [Signature] Date: 1/18/21  
Signature of property owner: [Signature] Date: 1/18/21

Please read the ARCHITECTURAL DESIGN STANDARDS KENT VILLAGE DISTRICT and REQUIRED DOCUMENTS AND HELPFUL SUGGESTIONS before any presentation to the Architectural Review Board. The ARB has discretion to refuse to consider an application it considers incomplete. If an item is N/A, please describe why.

### CHECKLIST

<input checked="" type="checkbox"/>	A Completed ARB Pre-Application Form.
<input checked="" type="checkbox"/>	Sketch Plan as outlined by Section 10300 of the Kent Zoning Regulations. <i>Site Plan -</i>
<input type="checkbox"/>	Photographs showing the location of the proposed activity as well as the surrounding properties.
<input type="checkbox"/>	Copy of the Kent Village District Map with the subject property highlighted.
<input checked="" type="checkbox"/>	Elevation drawings (front and side views), section drawings and/or photographic images. These materials shall indicate the existing and proposed roofing, siding, windows and exterior doors as well as roof pitches, overhangs, eaves, etc. Overall dimensions of the plan and vertical dimensions of the eaves and ridge shall be shown as well as sizes of the windows and exterior doors.
<input checked="" type="checkbox"/>	Samples or catalog "cuts" of proposed roofing, siding, windows and doors. Product sheets may be acceptable.

Photos

Street View

Map



## Property Details for 1 Bridge Street, Unit 2

Neighborhood	N/A	Style	Apartment
Direct Waterfront	No	Swimming Pool	No
Basement Description	None	Garage Parking Info	Off Street Parking, Parking Lot
Garages Number	0		

Photos

Street View

Map



## Property Details for 1 Bridge Street, Unit 2

Neighborhood	N/A	Style	Apartment
Direct Waterfront	No	Swimming Pool	No
Basement Description	None	Garage Parking Info	Off Street Parking, Parking Lot
Garages Number	0		

Photos

Street View


Map



## Property Details for 1 Bridge Street, Unit 2

Neighborhood	N/A	Style	Apartment
Direct Waterfront	No	Swimming Pool	No
Basement Description	None	Garage Parking Info	Off Street Parking, Parking Lot
Garages Number	0		


Photos Street View Map



### Property Details for 1 Bridge Street, Unit 2

Neighborhood	N/A	Style	Apartment
Direct Waterfront	No	Swimming Pool	No
Basement Description	None	Garage Parking Info	Off Street Parking, Parking Lot
Garages Number	0		

**Kent Village District**  
**Zoning Map**  
 Town of Kent, Connecticut



**Legend**

[Red Box]	Village Center Mixed Use District
[Green Box]	Village Center Residential District
[Yellow Box]	R1 - Village Center Residential 1
[Light Green Box]	R2 - Village Center Residential 2
[Pink Box]	C - Village Center Commercial
[Blue Box]	RU - Rural District
[White Box]	I - Individual District



Map No. 2023-01



Map Date: 10/2023  
 Map Scale: 1" = 100'  
 Map Projection: NAD 83 UTM Zone 18N  
 Map Source: GIS Department, Town of Kent, Connecticut  
 Map Author: Planning & Zoning Commission  
 Map Contact: Planning & Zoning Commission, 100 Main Street, Kent, CT 06032  
 Map Copyright: 2023


Progress Prints  
Not For Construction  
9/22/15



- NEW WALLS
- EXISTING WALL TO REMAIN TO BE DEMOLISHED / REMOVED

**LEGEND**

NOTE: DIMENSIONS ARE 1/4" AND 1/8" FROM FINISHED WALLS UNLESS OTHERWISE NOTED. VERIFY DIMENSIONS PRIOR TO ALTERATIONS.



**EXISTING 1st FLOOR PLAN**  
1/4" = 1'-0"


*Window To Remain*  
*Windows To Be Replaced*

**Proposed Renovations to the  
The Roberti Residence  
1 Bridge Street  
Kent, Connecticut**

**Proposed Floor Plans**

PROJECT: Roberti	DATE: 9/15
NUMBER: 2015	FILE: Roberti
SCALE: 1/4" = 1'-0"	SHEET: A1

**PROPOSED NEW 2nd FLOOR PLAN**  
1/4" = 1'-0"



**JIM VAUGHAN**  
Residential Design, LLC  
New Homes, Additions, Outbuildings  
47 LAMBERT ROAD  
SHARON, CT 06069  
860-364-8065





Name(s): \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Email: \_\_\_\_\_

WINDOW OR DOOR LOCATION	WIDTH	HEIGHT	WINDOW OR DOOR LOCATION	WIDTH	HEIGHT
guest bed left	29" 7/8	61" 5/8	living room left	29" 15/16	61" 3/4
guest bed middle	31" 7/8	61" 5/8	living room middle	32"	61" 3/4
guest bed right	29" 7/8	61" 5/8	living room right	30"	61" 3/4
master left	31" 15/16	61" 3/4	kitchen radiator	32"	61" 3/4
master right	31" 15/16	61" 5/8	kitchen left	32'	61" 5/8
master above radiator	31" 15/16	61" 3/4	kitchen bay left	32"	61" 5/8
master bath	31" 15/16	61" 3/4	kitchen bay middle 1	32" 1/16	61" 5/8
guest bath	31" 15/16	49" 3/4	kitchen bay middle 2	32" 1/16	61" 5/8
trey's room left	36" 1/8	61" 3/4	kitchen bay right	32"	61" 5/8
treys room middle	36"	61" 3/4	kitchen bay radiator rht	32"	61" 5/8
trey's room right	36"	61" 3/4	17 downstairs		
aloies room left	32"	61" 3/4			
aloies room middle	36"	61" 3/4			
aloies room right	32" 1/6	61" 3/4			
			14 upstairs		
dinning room radiator	32"	61" 5/8			
dining room left	36" 1/6	61" 5/8			
dinning room middle	36" 1/6	61" 5/8			
dinning room right	36" 1/6	61" 5/8			
parlor left	32"	61" 5/8			
parlor middle	36"	61" 5/8			
parlor right	32" 1/6	61" 5/8			

Find a Marvin dealer near you  
1.888.537.7828




## LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: GUEST BED LEFT	Net Price:		
Qty: 1		Ext. Net Price:	USD	

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 29 1/2" X 62"  
 IO 29 7/8" X 61 5/8"  
**Egress Information**  
 Width: 25 27/32" Height: 25 33/64"  
 Net Clear Opening: 4.58 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 29 7/8" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh

3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #2	Mark Unit: GUEST BED MIDDLE	Net Price:		
Qty: 1		Ext. Net Price:	USD	

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 31 7/8" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H



As Viewed From The Exterior

Entered As: IO  
 FS 31 1/2" X 62"  
 IO 31 7/8" X 61 5/8"  
**Egress Information**  
 Width: 27 27/32" Height: 25 33/64"  
 Net Clear Opening: 4.93 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

- Bottom Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Low E2 w/Argon
- Stainless Perimeter Bar
- White Weather Strip Package
- 1 White Sash Lock
- Exterior Aluminum Screen
- Stone White Surround
- Charcoal Fiberglass Mesh
- 3 1/4" Jamb
- Thru Jamb Installation
- Existing Sill Angle 8
- 1" Frame Expander
- \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #3	Mark Unit: GUEST BED RIGHT	Net Price:		
Qty: 1		Ext. Net Price:	USD	

**MARVIN**



As Viewed From The Exterior

Entered As: IO  
 FS 29 1/2" X 62"  
 IO 29 7/8" X 61 5/8"  
**Egress Information**  
 Width: 25 27/32" Height: 25 33/64"  
 Net Clear Opening: 4.58 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

- Stone White Exterior
- White Interior
- Elevate Double Hung Insert
- Inside Opening 29 7/8" X 61 5/8"
- 8 Degree Frame Bevel
- Top Sash
- Stone White Exterior
- White Interior
- IG
- Low E2 w/Argon
- Stainless Perimeter and Spacer Bar
- 7/8" SDL - With Spacer Bar - Stainless
- Rectangular 2W1H
- Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

- Bottom Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Low E2 w/Argon
- Stainless Perimeter Bar
- White Weather Strip Package
- 1 White Sash Lock
- Exterior Aluminum Screen
- Stone White Surround
- Charcoal Fiberglass Mesh
- 3 1/4" Jamb
- Thru Jamb Installation
- Existing Sill Angle 8
- 1" Frame Expander
- \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #4	Mark Unit: MASTER LEFT	Net Price:	USD	
Qty: 1		Ext. Net Price:		

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 31 9/16" X 62 1/8"  
 IO 31 15/16" X 61 3/4"  
**Egress Information**  
 Width: 27 29/32" Height: 25 37/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 31 15/16" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh

3 1/4" Jambs  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #5	Mark Unit: MASTER RIGHT	Net Price:	USD	
Qty: 1		Ext. Net Price:		

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 31 15/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 31 9/16" X 62"  
 IO 31 15/16" X 61 5/8"  
**Egress Information**  
 Width: 27 29/32" Height: 25 33/64"  
 Net Clear Opening: 4.94 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC


Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #6	Mark Unit: MASTER ABOVE RADIATOR	Net Price:		
Qty: 1		Ext. Net Price:	USD	



As Viewed From The Exterior

Entered As: IO  
 FS 31 9/16" X 62 1/8"  
 IO 31 15/16" X 61 3/4"  
**Egress Information**  
 Width: 27 29/32" Height: 25 37/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 31 15/16" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #7	Mark Unit: MASTER BATH	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 31 9/16" X 62 1/8"  
 IO 31 15/16" X 61 3/4"  
**Egress Information**  
 Width: 27 29/32" Height: 25 37/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 31 15/16" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jambs  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #8	Mark Unit: GUEST BATH	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 31 15/16" X 49 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 31 9/16" X 50 1/8"  
 IO 31 15/16" X 49 3/4"  
**Egress Information**  
 Width: 27 29/32" Height: 19 37/64"  
 Net Clear Opening: 3.79 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #9	Mark Unit: TREY'S ROOM LEFT	Net Price:		
Qty: 1		Ext. Net Price:	USD	

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 35 3/4" X 62 1/8"  
 IO 36 1/8" X 61 3/4"  
**Egress Information**  
 Width: 32 3/32" Height: 25 37/64"  
 Net Clear Opening: 5.70 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36 1/8" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #10	Mark Unit: TREY'S ROOM MIDDLE	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 35 5/8" X 62 1/8"  
 IO 36" X 61 3/4"  
**Egress Information**  
 Width: 31 31/32" Height: 25 37/64"  
 Net Clear Opening: 5.68 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jambs  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

initials required

Seller: \_\_\_\_\_


Buyer: \_\_\_\_\_

Line #11	Mark Unit: TREY'S ROOM RIGHT	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless





As Viewed From The Exterior

Entered As: IO  
 FS 35 5/8" X 62 1/8"  
 IO 36" X 61 3/4"  
**Egress Information**  
 Width: 31 31/32" Height: 25 37/64"  
 Net Clear Opening: 5.68 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC


Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jambs  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #12	Mark Unit: ALOIES ROOM LEFT	Net Price:		
Qty: 1		Ext. Net Price:	USD	



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62 1/8"  
 IO 32" X 61 3/4"  
**Egress Information**  
 Width: 27 31/32" Height: 25 37/64"  
 Net Clear Opening: 4.97 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC


Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jambs  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #13	Mark Unit: ALOIES ROOM MIDDLE	Net Price:	
Qty: 1		Ext. Net Price:	USD



As Viewed From The Exterior

Entered As: IO  
 FS 35 5/8" X 62 1/8"  
 IO 36" X 61 3/4"  
**Egress Information**  
 Width: 31 31/32" Height: 25 37/64"  
 Net Clear Opening: 5.68 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh

3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #14	Mark Unit: ALOIES ROOM RIGHT	Net Price:	
Qty: 1		Ext. Net Price:	USD



Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32 1/16" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 31 11/16" X 62 1/8"  
 IO 32 1/16" X 61 3/4"  
**Egress Information**  
 Width: 28 1/32" Height: 25 37/64"  
 Net Clear Opening: 4.98 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**


Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #15	Mark Unit: DINING ROOM RADIATOR	Net Price:	USD	
Qty: 1		Ext. Net Price:		



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62"  
 IO 32" X 61 5/8"  
**Egress Information**  
 Width: 27 31/32" Height: 25 33/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #16	Mark Unit: DINING ROOM LEFT	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 35 11/16" X 62"  
 IO 36 1/16" X 61 5/8"  
**Egress Information**  
 Width: 32 1/32" Height: 25 33/64"  
 Net Clear Opening: 5.67 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36 1/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #17	Mark Unit: DINING ROOM MIDDLE	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36 1/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 35 11/16" X 62"  
 IO 36 1/16" X 61 5/8"  
**Egress Information**  
 Width: 32 1/32" Height: 25 33/64"  
 Net Clear Opening: 5.67 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**


- Bottom Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Low E2 w/Argon
- Stainless Perimeter Bar
- White Weather Strip Package
- 1 White Sash Lock
- Exterior Aluminum Screen
- Stone White Surround
- Charcoal Fiberglass Mesh
- 3 1/4" Jamb
- Thru Jamb Installation
- Existing Sill Angle 8
- 1" Frame Expander
- \*\*\*Frame Expander Ship Loose
- \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
- \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #18	Mark Unit: DINING ROOM RIGHT	Net Price:		
Qty: 1		Ext. Net Price:	USD	



As Viewed From The Exterior

Entered As: IO  
 FS 35 11/16" X 62"  
 IO 36 1/16" X 61 5/8"  
**Egress Information**  
 Width: 32 1/32" Height: 25 33/64"  
 Net Clear Opening: 5.67 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36 1/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**


- Bottom Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Low E2 w/Argon
- Stainless Perimeter Bar
- White Weather Strip Package
- 1 White Sash Lock
- Exterior Aluminum Screen
- Stone White Surround
- Charcoal Fiberglass Mesh
- 3 1/4" Jamb
- Thru Jamb Installation
- Existing Sill Angle 8
- 1" Frame Expander
- \*\*\*Frame Expander Ship Loose
- \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
- \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #19	Mark Unit: PARLOR LEFT	Net Price:	
Qty: 1		Ext. Net Price:	USD



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62"  
 IO 32" X 61 5/8"  
**Egress Information**  
 Width: 27 31/32" Height: 25 33/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #20	Mark Unit: PARLOR MIDDLE	Net Price:	
Qty: 1		Ext. Net Price:	USD



Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 36" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 35 5/8" X 62"  
 IO 36" X 61 5/8"  
**Egress Information**  
 Width: 31 31/32" Height: 25 33/64"  
 Net Clear Opening: 5.66 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**


Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #21	Mark Unit: PARLOR RIGHT	Net Price:		
Qty: 1		Ext. Net Price:	USD	



As Viewed From The Exterior

Entered As: IO  
 FS 31 11/16" X 62"  
 IO 32 1/16" X 61 5/8"  
**Egress Information**  
 Width: 28 1/32" Height: 25 33/64"  
 Net Clear Opening: 4.97 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32 1/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**


Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #22	Mark Unit: LIVING ROOM LEFT	Net Price:	
Qty: 1		Ext. Net Price:	USD



As Viewed From The Exterior

Entered As: IO  
 FS 29 9/16" X 62 1/8"  
 IO 29 15/16" X 61 3/4"  
**Egress Information**  
 Width: 25 29/32" Height: 25 37/64"  
 Net Clear Opening: 4.60 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 29 15/16" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_


Buyer: \_\_\_\_\_

Line #23	Mark Unit: LIVING ROOM MIDDLE	Net Price:	
Qty: 1		Ext. Net Price:	USD



Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless





As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62 1/8"  
 IO 32" X 61 3/4"  
**Egress Information**  
 Width: 27 31/32" Height: 25 37/64"  
 Net Clear Opening: 4.97 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC


Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #24	Mark Unit: LIVING ROOM RIGHT	Net Price:		
Qty: 1		Ext. Net Price:	USD	



As Viewed From The Exterior

Entered As: IO  
 FS 29 5/8" X 62 1/8"  
 IO 30" X 61 3/4"  
**Egress Information**  
 Width: 25 31/32" Height: 25 37/64"  
 Net Clear Opening: 4.61 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 30" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #25	Mark Unit: KITCHEN RADIATOR	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62 1/8"  
 IO 32" X 61 3/4"  
**Egress Information**  
 Width: 27 31/32" Height: 25 37/64"  
 Net Clear Opening: 4.97 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 3/4"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #26	Mark Unit: KITCHEN LEFT	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62"  
 IO 32" X 61 5/8"  
**Egress Information**  
 Width: 27 31/32" Height: 25 33/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC


Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #27	Mark Unit: KITCHEN BAY LEFT	Net Price:		
Qty: 1		Ext. Net Price:	USD	



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62"  
 IO 32" X 61 5/8"  
**Egress Information**  
 Width: 27 31/32" Height: 25 33/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #28	Mark Unit: KITCHEN BAY MIDDLE 1	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 31 11/16" X 62"  
 IO 32 1/16" X 61 5/8"  
**Egress Information**  
 Width: 28 1/32" Height: 25 33/64"  
 Net Clear Opening: 4.97 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32 1/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh

3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required


Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #29	Mark Unit: KITCHEN BAY MIDDLE 2	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32 1/16" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

Entered As: IO  
 FS 31 11/16" X 62"  
 IO 32 1/16" X 61 5/8"  
**Egress Information**  
 Width: 28 1/32" Height: 25 33/64"  
 Net Clear Opening: 4.97 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC


Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #30	Mark Unit: KITCHEN BAY RIGHT	Net Price:	
Qty: 1		Ext. Net Price:	USD



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62"  
 IO 32" X 61 5/8"  
**Egress Information**  
 Width: 27 31/32" Height: 25 33/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int  
**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**  
 Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change


Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #31	Mark Unit: KITCHEN BAY RADIATOR RHT	Net Price:	
Qty: 1		Ext. Net Price:	USD

**MARVIN** 



As Viewed From The Exterior

Entered As: IO  
 FS 31 5/8" X 62"  
 IO 32" X 61 5/8"  
**Egress Information**  
 Width: 27 31/32" Height: 25 33/64"  
 Net Clear Opening: 4.96 SqFt  
**Performance Information**  
 U-Factor: 0.28  
 Solar Heat Gain Coefficient: 0.28  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 56  
 CPD Number: MAR-N-424-00530-00001  
 ENERGY STAR: NC

Stone White Exterior  
 White Interior  
 Elevate Double Hung Insert  
 Inside Opening 32" X 61 5/8"  
 8 Degree Frame Bevel  
 Top Sash  
 Stone White Exterior  
 White Interior  
 IG  
 Low E2 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless  
 Rectangular 2W1H  
 Stone White Ext - White Int

**Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.**

Bottom Sash  
 Stone White Exterior  
 White Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Stainless Perimeter Bar  
 White Weather Strip Package  
 1 White Sash Lock  
 Exterior Aluminum Screen  
 Stone White Surround  
 Charcoal Fiberglass Mesh  
 3 1/4" Jamb  
 Thru Jamb Installation  
 Existing Sill Angle 8  
 1" Frame Expander  
 \*\*\*Frame Expander Ship Loose

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

Line #32	Mark Unit:	Net Price:	
Qty: 1		Ext. Net Price:	USD

Labor WSC DELIVERY CHARGE

Initials required

Seller: \_\_\_\_\_

Buyer: \_\_\_\_\_

